

**2011-2012 Senior Bull Test
University of Tennessee
Ultrasound and Carcass EPDs**

| Lot | Adj Fat | Adj REA | Adj 2 % IMF | CWt EPD | CWt 3 Acc. | Mrbl EPD | Mrbl4 Acc. | REA EPD | REA5 Acc. | Fat EPD | Fat 6 Acc. | \$W | Lot |
|-----|---------|---------|-------------|---------|------------|----------|------------|---------|-----------|---------|------------|-------|-----|
| 1 | 0.43 | 13.8 | 3.15 | I+11 | 0.05 | I+.12 | 0.05 | I+.01 | 0.06 | I+.030 | 0.05 | 24.28 | 1 |
| 2 | 0.24 | 11.8 | 5.3 | I+2 | 0.05 | I+.31 | 0.05 | I-.11 | 0.06 | I+.020 | 0.05 | 24.05 | 2 |
| 3 | 0.3 | 15.1 | 4.58 | I+23 | 0.05 | I+.16 | 0.07 | I+.42 | 0.09 | I+.005 | 0.07 | 27.96 | 3 |
| 4 | 0.43 | 12.1 | 5.02 | I+23 | 0.1 | I+.48 | 0.13 | I+.41 | 0.15 | I+.007 | 0.12 | 25.25 | 4 |
| 5 | 0.27 | 13 | 3.43 | I+10 | 0.06 | I+.19 | 0.06 | I+.08 | 0.07 | I+.007 | 0.06 | 26.19 | 5 |
| 6 | 0.12 | 9.3 | 4.96 | I+4 | 0.06 | I+.34 | 0.06 | I-.16 | 0.07 | I-.011 | 0.06 | 26.88 | 6 |
| 7 | 0.28 | 13.8 | 3.64 | I+32 | 0.15 | I+.54 | 0.18 | I+.40 | 0.18 | I+.023 | 0.16 | 27.97 | 7 |
| 8 | 0.36 | 12.5 | 2.37 | I+30 | 0.1 | I+.19 | 0.13 | I+.31 | 0.15 | I+.004 | 0.12 | 25.84 | 8 |
| 9 | 0.27 | 11.8 | 3.72 | I+36 | 0.19 | I+.41 | 0.21 | I+.22 | 0.21 | I+0 | 0.2 | 24.3 | 9 |
| 11 | 0.44 | 13.7 | 4.49 | I+29 | 0.18 | I+.29 | 0.2 | I+.41 | 0.21 | I+.014 | 0.19 | 24.43 | 11 |
| 13 | 0.3 | 14.4 | 4.82 | I+36 | 0.18 | I+.33 | 0.2 | I+.46 | 0.21 | I-.002 | 0.19 | 24.43 | 13 |
| 14 | 0.27 | 10 | 3.02 | I+20 | 0.08 | I+.03 | 0.11 | I-.21 | 0.12 | I+.013 | 0.1 | 23.21 | 14 |
| 15 | 0.21 | 10.9 | 3.73 | I+11 | 0.06 | I+.26 | 0.08 | I-.04 | 0.08 | I+.017 | 0.07 | 21.12 | 15 |
| 16 | 0.32 | 13.8 | 5.27 | I+17 | 0.05 | I+.10 | 0.06 | I+.15 | 0.07 | I+.013 | 0.06 | 24.34 | 16 |
| 17 | 0.26 | 12.6 | 3.86 | I+35 | 0.21 | I+.53 | 0.22 | I+.47 | 0.23 | I+.039 | 0.21 | 25.18 | 17 |
| 18 | 0.23 | 12 | 4.84 | I+14 | 0.19 | I+.42 | 0.21 | I+.44 | 0.21 | I-.007 | 0.19 | 33.38 | 18 |
| 19 | 0.3 | 11 | 4.1 | I+15 | 0.2 | I+.39 | 0.22 | I+.11 | 0.22 | I+.031 | 0.21 | 34.49 | 19 |
| 20 | 0.3 | 11.6 | 4.47 | I+29 | 0.13 | I+.34 | 0.16 | I-.02 | 0.16 | I+.027 | 0.14 | 30.24 | 20 |
| 21 | 0.29 | 13.4 | 3.79 | | | | | | | | | 26.96 | 21 |
| 23 | 0.28 | 13.5 | 3.09 | I+28 | 0.15 | I+.20 | 0.16 | I+.18 | 0.16 | I+.026 | 0.16 | 28.77 | 23 |
| 24 | 0.38 | 12.8 | 4.53 | I+12 | 0.12 | I+.24 | 0.14 | I+.29 | 0.14 | I+.022 | 0.13 | 26.41 | 24 |
| 25 | 0.43 | 14.3 | 3.87 | I+11 | 0.1 | I+.12 | 0.13 | I+.11 | 0.12 | I+.044 | 0.12 | 26.13 | 25 |
| 26 | 0.34 | 13.3 | 4.55 | I+21 | 0.06 | I+.17 | 0.09 | I+.40 | 0.09 | I-.008 | 0.08 | 24.76 | 26 |
| 27 | 0.31 | 12.7 | 3.13 | I+29 | 0.11 | I+.20 | 0.14 | I+.36 | 0.16 | I+.016 | 0.13 | 29.85 | 27 |
| 28 | 0.22 | 10.4 | 3.91 | I+21 | 0.12 | I+.60 | 0.16 | I+.42 | 0.16 | I+.013 | 0.14 | 31.23 | 28 |
| 29 | 0.33 | 12 | 4.63 | I+27 | 0.13 | I+.58 | 0.16 | I+.09 | 0.17 | I+.038 | 0.15 | 32.9 | 29 |
| 30 | 0.35 | 12.5 | 5.12 | I+17 | 0.17 | I+.47 | 0.18 | I+.43 | 0.18 | I+.001 | 0.17 | 26.56 | 30 |
| 31 | 0.27 | 12.3 | 3.52 | I+40 | 0.11 | I+.38 | 0.13 | I+.34 | 0.14 | I-.006 | 0.12 | 28.68 | 31 |
| 32 | 0.38 | 13 | 3.34 | I+8 | 0.13 | I+.07 | 0.14 | I+.29 | 0.14 | I+0 | 0.13 | 28.75 | 32 |
| 33 | 0.28 | 13.7 | 3.73 | I+11 | 0.06 | I+.24 | 0.07 | I+.16 | 0.07 | I-.010 | 0.06 | 29.46 | 33 |
| 34 | 0.3 | 13 | 3.22 | I+19 | 0.28 | I+.36 | 0.3 | I+.34 | 0.31 | I-.014 | 0.3 | 25.92 | 34 |
| 35 | 0.31 | 12.7 | 5.23 | I+14 | 0.27 | I+.69 | 0.28 | I+.62 | 0.29 | I-.007 | 0.28 | 27.15 | 35 |
| 36 | 0.29 | 12.3 | 5.86 | I+20 | 0.27 | I+.94 | 0.28 | I+.27 | 0.29 | I+.029 | 0.27 | 26.05 | 36 |
| 37 | 0.23 | 11.5 | 2.44 | I+5 | 0.05 | I+.05 | 0.05 | I+.09 | 0.05 | I+.028 | 0.05 | 25.28 | 37 |
| 38 | 0.29 | 12.1 | 4.42 | | | | | | | | | 26.11 | 38 |
| 39 | 0.25 | 9.7 | 5.29 | I+12 | 0.17 | I+.74 | 0.18 | I+.07 | 0.19 | I+.030 | 0.18 | 22.91 | 39 |
| 40 | 0.31 | 12.3 | 5.13 | I+12 | 0.18 | I+.72 | 0.2 | I+.28 | 0.21 | I+.035 | 0.19 | 25.96 | 40 |
| 41 | 0.31 | 12 | 3.87 | I+13 | 0.05 | I+.27 | 0.06 | I+.14 | 0.07 | I+.019 | 0.05 | 16.46 | 41 |
| 42 | 0.34 | 12.8 | 4.3 | | | | | | | | | 29.02 | 42 |
| 43 | 0.3 | 12.2 | 4.31 | I+23 | 0.05 | I+.26 | 0.05 | I+.10 | 0.05 | I+.028 | 0.05 | 25.13 | 43 |
| 44 | 0.35 | 12.4 | 4.73 | | | | | | | | | | 44 |
| 45 | | | | I+11 | 0.05 | I+.36 | 0.05 | I+.20 | 0.05 | I-.053 | 0.05 | 25.51 | 45 |
| 46 | | | | I+15 | 0.05 | I+.56 | 0.05 | I+.32 | 0.05 | I-.047 | 0.05 | 25.17 | 46 |
| 48 | 0.19 | 10.5 | 4.47 | I+21 | 0.18 | I+.31 | 0.19 | I+.25 | 0.19 | I-.006 | 0.19 | 29.08 | 48 |
| 49 | 0.23 | 12.4 | 3.4 | I+20 | 0.2 | I+.30 | 0.22 | I+.29 | 0.23 | I-.051 | 0.21 | 29.33 | 49 |
| 50 | 0.27 | 10.9 | 2.57 | I+15 | 0.06 | I+.12 | 0.07 | I+.21 | 0.07 | I-.006 | 0.06 | | 50 |
| 51 | 0.46 | 11.7 | 5.11 | I+21 | 0.06 | I+.35 | 0.07 | I+.26 | 0.07 | I+.006 | 0.06 | | 51 |
| 52 | 0.28 | 13 | 4.59 | I+14 | 0.05 | I+.07 | 0.05 | I+.03 | 0.05 | I+.001 | 0.05 | 25.54 | 52 |
| 53 | 0.23 | 12.9 | 3.91 | I+25 | 0.05 | I+.17 | 0.05 | I+.30 | 0.05 | I-.003 | 0.05 | 24.2 | 53 |
| 54 | 0.31 | 14.3 | 4.2 | I+15 | 0.05 | I+.31 | 0.06 | I+.22 | 0.07 | I-.001 | 0.06 | 27.88 | 54 |
| 55 | 0.31 | 15.9 | 6.17 | I+6 | 0.13 | I+.51 | 0.15 | I+.33 | 0.15 | I-.030 | 0.14 | 30.83 | 55 |
| 56 | 0.41 | 13.5 | 5.57 | I+7 | 0.06 | I+.47 | 0.06 | I+.12 | 0.07 | I+.016 | 0.06 | 36.76 | 56 |
| 57 | 0.31 | 13.1 | 5.35 | I+1 | 0.15 | I+.68 | 0.18 | I+.43 | 0.19 | I+.016 | 0.17 | 28.61 | 57 |
| 59 | 0.39 | 13 | 4.84 | I+4 | 0.11 | I+.42 | 0.13 | I+.17 | 0.13 | I-.002 | 0.12 | 30.18 | 59 |
| 60 | 0.32 | 15 | 3.52 | I+21 | 0.1 | I+.41 | 0.11 | I+.20 | 0.13 | I+.007 | 0.1 | 39.28 | 60 |
| 61 | 0.3 | 12.6 | 3.32 | I+20 | 0.05 | I+.08 | 0.05 | I+.17 | 0.05 | I-.021 | 0.05 | 31.68 | 61 |
| 62 | 0.3 | 12.8 | 3.16 | I+40 | 0.17 | I+.21 | 0.19 | I+.15 | 0.2 | I+.015 | 0.18 | 26.02 | 62 |
| 63 | 0.3 | 14.6 | 2.42 | I+20 | 0.14 | I+.22 | 0.17 | I+.17 | 0.18 | I+.006 | 0.16 | 26.88 | 63 |
| 64 | 0.37 | 12.1 | 3.62 | I+7 | 0.19 | I+.37 | 0.2 | I-.10 | 0.2 | I+.017 | 0.2 | 27.69 | 64 |
| 65 | 0.39 | 12.5 | 3.56 | I+17 | 0.24 | I+.49 | 0.25 | I+.01 | 0.25 | I+.017 | 0.24 | 28.24 | 65 |
| 66 | 0.41 | 14.6 | 4.39 | I+12 | 0.17 | I+.37 | 0.18 | I+.22 | 0.18 | I-.011 | 0.18 | 28.22 | 66 |

**2011-2012 Senior Bull Test
University of Tennessee
Ultrasound and Carcass EPDs**

| Lot | Adj Fat | Adj REA | Adj % IMF | CWt EPD | CWt Acc. | Mrbl EPD | Mrbl Acc. | REA EPD | REA Acc. | Fat EPD | Fat Acc. | \$W | Lot |
|-----|---------|---------|-----------|---------|----------|----------|-----------|---------|----------|---------|----------|-------|-----|
| 67 | 0.34 | 13.7 | 3.13 | I+19 | 0.17 | I+.25 | 0.18 | I+.16 | 0.18 | I-.007 | 0.18 | 30.55 | 67 |
| 68 | 0.38 | 12.1 | 6.55 | I+23 | 0.14 | I+.28 | 0.15 | I+.01 | 0.15 | I+.006 | 0.15 | 27.52 | 68 |
| 69 | 0.3 | 14.3 | 4.01 | I+34 | 0.14 | I+.05 | 0.15 | I+.15 | 0.15 | I+0 | 0.15 | 31.87 | 69 |
| 70 | 0.29 | 13.9 | 2.28 | | | | | | | | | 30.46 | 70 |
| 71 | 0.37 | 13.6 | 5.09 | | | | | | | | | 28.4 | 71 |
| 72 | 0.28 | 12.1 | 5.18 | I+11 | 0.14 | I+.22 | 0.15 | I+.37 | 0.15 | I-.008 | 0.14 | 27.01 | 72 |
| 73 | 0.26 | 13.4 | 4.03 | I+31 | 0.14 | I+.16 | 0.16 | I+.36 | 0.16 | I+.002 | 0.15 | 29.45 | 73 |
| 74 | 0.4 | 11.5 | 4.1 | I+6 | 0.14 | I+.21 | 0.15 | I+.38 | 0.15 | I-.003 | 0.14 | 28.51 | 74 |
| 75 | 0.34 | 12.5 | 4.44 | I+34 | 0.17 | I+.43 | 0.19 | I+.69 | 0.2 | I-.009 | 0.18 | 30.19 | 75 |
| 76 | 0.25 | 12.1 | 3.19 | I+12 | 0.07 | I+.07 | 0.09 | I+.10 | 0.1 | I+.005 | 0.08 | 21.06 | 76 |
| 77 | 0.25 | 13 | 3.64 | I+30 | 0.21 | I+.54 | 0.23 | I+.32 | 0.24 | I-.022 | 0.22 | 23.92 | 77 |
| 78 | 0.28 | 13.9 | 3.58 | I+34 | 0.1 | I+.38 | 0.12 | I+.38 | 0.14 | I+.013 | 0.12 | 27.43 | 78 |
| 79 | 0.28 | 11.8 | 4.34 | | | | | | | | | 28.78 | 79 |
| 80 | 0.29 | 10.8 | 3.43 | I+19 | 0.11 | I+.25 | 0.13 | I+0 | 0.13 | I+.022 | 0.12 | 27.55 | 80 |
| 81 | 0.21 | 11.1 | 2.77 | I+10 | 0.05 | I+.03 | 0.05 | I+.07 | 0.05 | I-.001 | 0.05 | 27.2 | 81 |
| 83 | 0.23 | 15.3 | 4.76 | I+22 | 0.09 | I+.43 | 0.11 | I+.35 | 0.12 | I+.002 | 0.1 | 25.41 | 83 |
| 84 | 0.26 | 13.2 | 3.39 | I+12 | 0.08 | I+.16 | 0.1 | I-.03 | 0.12 | I+.008 | 0.1 | 24.44 | 84 |
| 85 | 0.16 | 11.5 | 3.78 | I+21 | 0.15 | I+.34 | 0.16 | I+.14 | 0.16 | I+.028 | 0.16 | 24.45 | 85 |
| 86 | 0.24 | 12 | 2.69 | I+33 | 0.11 | I+.26 | 0.14 | I+.18 | 0.15 | I+.010 | 0.13 | 20.51 | 86 |
| 87 | 0.37 | 14.3 | 4.09 | I+11 | 0.16 | I+.16 | 0.19 | I+.27 | 0.19 | I+.006 | 0.18 | 30.39 | 87 |
| 88 | 0.32 | 13.3 | 2.88 | I+29 | 0.14 | I+.14 | 0.16 | I+.29 | 0.16 | I+0 | 0.15 | 25.42 | 88 |
| 89 | 0.26 | 10.7 | 3.24 | I+3 | 0.05 | I+.05 | 0.05 | I-.21 | 0.06 | I-.011 | 0.05 | 25.9 | 89 |
| 90 | 0.36 | 13.8 | 5.89 | I+6 | 0.05 | I+.29 | 0.05 | I-.01 | 0.06 | I-.006 | 0.05 | 30.88 | 90 |
| 91 | 0.44 | 12.6 | 5.57 | I+24 | 0.06 | I+.40 | 0.07 | I-.09 | 0.08 | I+.019 | 0.06 | 32.66 | 91 |
| 92 | 0.46 | 14 | 4.38 | I+15 | 0.05 | I+.15 | 0.05 | I+.01 | 0.06 | I+.007 | 0.05 | 28.92 | 92 |
| 93 | 0.33 | 11.7 | 4.33 | I+6 | 0.05 | I+.12 | 0.05 | I+.08 | 0.05 | I-.002 | 0.05 | 21.45 | 93 |
| 95 | 0.29 | 13.3 | 3.29 | I+46 | 0.2 | I+.49 | 0.22 | I+.58 | 0.24 | I+.017 | 0.22 | 24.89 | 95 |
| 96 | 0.25 | 12.6 | 3.73 | I+32 | 0.2 | I+.53 | 0.22 | I+.53 | 0.24 | I+.014 | 0.22 | 24.89 | 96 |
| 97 | 0.36 | 12.7 | 3.5 | 2.9 | 0.23 | 0.52 | 0.23 | -0.19 | 0.22 | 0.05 | 0.23 | | 97 |
| 98 | 0.32 | 14.2 | 4.47 | -6.4 | 0.23 | 0.57 | 0.22 | -0.19 | 0.22 | 0.05 | 0.23 | | 98 |
| 99 | 0.17 | 11.7 | 3.42 | 3.9 | 0.17 | 0.25 | 0.14 | 0.33 | 0.14 | 0.02 | 0.15 | | 99 |
| 100 | 0.16 | 12.3 | 2.29 | 4 | 0.18 | 0.11 | 0.12 | 0.28 | 0.12 | 0.02 | 0.13 | | 100 |
| 101 | 0.16 | 11 | 2.84 | 31 | 0.23 | 0.17 | 0.31 | 0.45 | 0.27 | -0.01 | 0.23 | 18.49 | 101 |
| 102 | 0.14 | 11 | 3.79 | 15 | 0.22 | 0.14 | 0.3 | 0.01 | 0.25 | 0.004 | 0.22 | 23.34 | 102 |
| 103 | 0.26 | 11.1 | 3.18 | I+38 | 0.16 | I+.16 | 0.2 | I-.04 | 0.2 | I+.029 | 0.19 | 26.45 | 103 |
| 104 | 0.37 | 13.4 | 3.48 | I+20 | 0.11 | I+.26 | 0.13 | I+.05 | 0.13 | I+.022 | 0.12 | 26.51 | 104 |